

CLAIMS

1. A yeast strain lacking ethanol production ability or having a reduced ethanol production ability with respect to wild-type yeasts of the same strains and transformed with at least one copy of a gene coding for lactic dehydrogenase, functionally linked to promoter sequences allowing the expression of said gene in yeasts.
2. A yeast strain according to claim 1 having an ethanol production ability which is less than about 60% compared to wild type yeasts of the same strain.
3. A yeast strain according to claim 1 or 2 having a reduced pyruvate decarboxylase and/or pyruvate dehydrogenase activities and at least one copy of a nucleic acid sequence encoding for lactic dehydrogenase protein.
4. A yeast strain according to claim 3 having a reduced pyruvate dehydrogenase activity.
5. A yeast strain according to claim 3 having a reduced pyruvate decarboxylase activity.
6. A yeast strain according to claim 3 having both a reduced pyruvate dehydrogenase activity and a reduced pyruvate decarboxylase activity.
7. A yeast strain according to any one of claims 1-6 wherein the gene or the genes coding for pyruvate decarboxylase, for pyruvate dehydrogenase or both has or have been disrupted by deletion or insertion by means of selectable marker(s).
8. A yeast strain according to claim 7, wherein the selectable marker is a URA3 marker.
9. A yeast strain according to claim 8 wherein the

20090220 17:0206002

selectable marker is the URA3 marker from Saccharomyces cerevisiae.

10. A yeast strain according to claim 7, wherein the selectable marker is a dominant marker encoding for resistance to toxic compounds.
11. A yeast strain according to any one of claims 1-10, selected from Saccharomyces, Kluyveromyces, Torulaspora and Zygosaccharomyces species.
12. A yeast strain according to claim 11 which is a strain of Saccharomices cerevisise.
13. A yeast strain according to claim 11 which is a strain of Kluyveromyces lactis.
14. A yeast strain according to claim 11 which is a strain of Torulaspora delbrueckii.
15. A yeast strain according to claim 11 which is a strain of Zygosaccharomyces bailii.
16. A yeast strain selected from Kluyveromyces, Torulaspora and Zygosaccharomyces species transformed with at least one copy of a gene coding for lactic dehydrogenase, functionally linked to promoter sequences allowing the expression of said gene in said yeasts.
17. A yeast strain according to any one of claims 1 to 16 transformed with a gene coding for the bovine lactate dehydrogenase.
18. A yeast strain according to any one of claims 1 to 16 transformed with a gene coding for a bacterial lactate dehydrogenase.
19. A yeast strain according to any one of claims 1 to 17 in which the gene coding for lactate dehydrogenase is integrated in the yeast genome.
20. A yeast strain according to any one of claims 1-19

2050220-7ET89007

which has been transformed by an expression vector comprising a promoter sequence and a DNA sequence coding for lactate dehydrogenase under the regulation of said promoter sequence.

5 21. A yeast strain according to claim 20 wherein the promoter sequence is a pyruvate decarboxylase gene promoter.

22. A yeast strain according to claim 21 wherein the promoter sequence is a Kluyveromyces pyruvate
10 decarboxylase gene promoter.

23. A yeast strain according to any one of the preceding claims, overexpressing a lactate transporter.

24. A yeast strain according to claim 23, in which the lactate transporter is JEN1.

15 25. A vector comprising a DNA sequence coding for a lactic dehydrogenase functionally linked to a pyruvate decarboxylase gene promoter.

26. A vector according to claim 25, wherein the promoter sequence is a Kluyveromyces pyruvate decarboxylase gene
20 promoter.

27. A vector according to claim 26, wherein the promoter sequence is a Kluyveromyces lactis pyruvate decarboxylase gene promoter.

28. A process for the preparation of lactic acid
25 comprising the growth of a recombinant yeast strain of claims 1-24 in a fermentation medium containing a carbon source and the recovery of lactic acid from the fermentation medium.

29. A process according to claim 28, wherein the carbon
30 source is selected from one or more of glucose, fructose, galactose, lactose, sucrose, raffinose, maltose,

cellobiose, arabinose, xylose.

30. A process for the preparation of lactic acid according to claim 28 or 29, wherein the fermentation medium contains less than 5 mM of Mg^{++} and/or less than
5 0.02 mM of Zn^{++} .

31. A process according to claims 28-30, wherein the fermentation medium has a pH of 7 or less.

32. A process according to claim 31 wherein the pH is 4.5 or less. *a*

10 33. A process according to claim 32 wherein the pH is 3 or less.

34. A process according to claim 28 for the preparation of D- or L- lactic acid or a mixture of the two.

10068137-020602